

WAC LIGHTING

Ratio

Bathroom Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-99820 20"	3000K	CH Chrome	21W	1880	975

Example: **WS-99820-CH**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thin band of chrome divides the light into even sections on this simple, sophisticated sconce, a reliable design full of bright, energy-efficient light perfect for both commercial and residential applications.

FEATURES

- Perfectly even illumination end to end
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser




FINISHES:



Chrome

LINE DRAWING:



WS-99820

WAC LIGHTING

Ratio

Bathroom Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-99830 30"	3000K	CH Chrome	28W	2583	1371

Example: **WS-99830-CH**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thin band of chrome divides the light into even sections on this simple, sophisticated sconce, a reliable design full of bright, energy-efficient light perfect for both commercial and residential applications.

FEATURES

- Perfectly even illumination end to end
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser




FINISHES:



Chrome

LINE DRAWING:



WS-99830

WAC LIGHTING

Ratio

Bathroom Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-99840 40"	3000K	CH Chrome	36W	3100	1780

Example: **WS-99840-CH**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thin band of chrome divides the light into even sections on this simple, sophisticated sconce, a reliable design full of bright, energy-efficient light perfect for both commercial and residential applications.

FEATURES

- Perfectly even illumination end to end
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES:




Chrome

REPLACEMENT PARTS

RPL-GLA-99840-IN - Inner glass for WS-99840

LINE DRAWING:



WS-99840