

# WAC LIGHTING

## Volo

Pendant 3000K

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22744 44"	3000K	AL Brushed Aluminum BK Brushed Black	23W	1988	1491

Example: **PD-22744-BK**

For custom requests please contact [customs@waclighting.com](mailto:customs@waclighting.com)

### DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

### FEATURES


- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 Year warranty

### SPECIFICATIONS


Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-5%,TRIAC: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,Title 24 JA8 Compliant,Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with polycarbonate diffuser



### FINISHES:



### LINE DRAWING:



# WAC LIGHTING

## Volo

Pendant 3000K

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22754 54"	3000K	AL Brushed Aluminum BK Brushed Black	30W	3387	2540

Example: **PD-22754-BK**

For custom requests please contact [customs@waclighting.com](mailto:customs@waclighting.com)

### DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

### FEATURES


- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 year warranty

### SPECIFICATIONS


Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 100-5%,100-10
Rated Life:	54000 Hours
Standards:	ETL, cETL,Title 24 JA8 Compliant,Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with polycarbonate diffuser



### FINISHES:



### LINE DRAWING:



# WAC LIGHTING

## Volo

Pendant 3000K

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22775 75"	3000K	AL Brushed Aluminum BK Brushed Black	44W	4087	3045

Example: **PD-22775-BK**

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

### DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

### FEATURES


- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 Year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-5%
Rated Life:	54000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant Damp Location Listed
Construction:	Aluminum hardware with polycarbonate diffuser



### FINISHES:



Brushed Black      Brushed Aluminum

### LINE DRAWING:

